University of Southeastern Philippines

Obrero Campus, Bo. Obrero Davao City

COLLEGE OF ENGINEERING Request for Quotation

	PR#_2019-11-1526
2 27	Date: 22 NOV- 2019
Company Name :	
iddi 635.	
	sted below, subject to the General Condition on the last page, stating the
shortest time of delivery and submit your quotation duly	signed by your representative not later than
in the return envelope attached herewith	(
	DR. REYNILO D. GARCIA
	BAC Chairman A - A
Note: 1. All entries must be typewritten.	on a wind war

- 2. Delivery Period within ___ ____ calendar days upon receipt of Purchase Order.
- 3. Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
- 4. Price validity shall be a period of 30 calendar days.
- 5. G-EPS Registration Certficate shall be attached upon submission of the Quotation.
- 6. Bidders shall submit Original Brochures showing certification of the product being offered (optional).

 7. Mode of delivery: [] Pick-up [Schedule] [x] Door to Door Delivery

tom No	11 m éte	THE AND PROGRESSION	QTY.	BID PRICE	
Item No.	Unit	ITEM AND DESCRIPTION		UNIT PRICE	TOTAL AMOUNT
1	lot	Solar Home System (SHS) Components & Electronic Supplies	1		
		Solar Home System (SHS) Components			
		Specifications: Solar Panel: Monocrystalline, 12V, 100W, 36 cells, Length: 66.8cm Width: 4cm Height: 148.5cm, Weight: 7.2Kg (17 pcs)			
		Charge Controller: Bs St-G1210 12V, 10A, Overloading protection, Short circuit protection, Reverse discharge protection, Overdischarge protection, Over charge protection, withstand voltage: DC1000V (17 pcs)			
		Battery: Deep Cycle VRLA Lead Acid 12V, 50Ah, Gel Type, Size: 223 x 120 x 175 mm, Weight: 13.4 Kilo (17pcs)			
		LED Bulbs: 4W, 12V, Average Lifetime: 20,000 Hours, Luminosity: 340lm, Lamp Base: E27 (68 pcs)			
		Radio: Portable Wireless Bluetooth LED Speaker w/Built-in Rechargeable Battery FM Radio/USB/SD Slot with Microphone and Remote Control, 5V DC input (17pcs)			
		USB Ports: 12V, 4 Ports, 2.1A, 5V Output Voltage, Car Boat Socket Panel, Size: 10.5 x 4.2 x 5.2cm (17pcs)			
		SHS Main Controller Components			
		Specifications: Microcontroller: ATmega2560, Mega 2560 R3 Motherboard with USB Cable, 16 MHz clock speed, Operating Voltage: 5V, Input Voltage (recommended): 7-9V Input Voltage (limit): 6-9V, Analog Input Pins: 16, Length: 101.52 mm, Width: 53.3 mm, Weight: 37 g (15 sets)			
		RFID Communication: MFRC522 chip based board Operating frequency: 13.56MHz (18 pcs) Supply Voltage: 3.3V			
		RFID Communication: JY PN532 NFC RFID Module V3 Kits Reader Writer For Android Phone TE314 (18 sets)			
		RFID Communication: 10x NFC Smart Card Tag S50 IC 13.56MHz RFID Readable Writable School Office Bus (4 sets)			
		RFID Communication: Robotdyn Compact Rfid Reader/Writer And Nfc Module, Mfrc522(13.56Mhz) Power 5V/3.3V For for Arduino, Raspberry, Arm Stm (18 pcs)			
		GSM Communication: GSM Antenna with Magnetic Base 3M (10 sets)			
		GSM Communication: SIM800L V2 5V Wireless GSM GPRS Module (10 sets)			
		LORA Communication: 3pcs SX1278 LoRa Module 433M 10KM Ra- 02 Ai-Thinker Wireless Spread Spectrum Transmission Socket for Smart Home DIY (6 sets)			
		continue on next page (page 1 of 4)			

Item No.	Unit	ITEM AND DESCRIPTION	QTY.	BID PRICE	
				UNIT PRICE	TOTAL AMOUNT
		LORA Communication: 2pcs/sets TTGO LORA SX1278 ESP32 0.96			
		OLED 16 Mt bytes (128 Mt bit) 433Mhz For Arduino - intl (6 sets)			
-		LODI G. L. I. WIRGO TO THE LOUIS AND THE LOU			
		LORA Communication: TTGO T-Beam ESP32 433Mhz WiFi wireless Bluetooth Module ESP 32 GPS NEO-6M SMA LORA 32 18650			
- 1		Battery holder (5 sets)			
		LORA Communication: 4.2V 18650 Li-ion 6800mAh Rechargeable			
		Battery Set of 6 with Universal Single Slot Li-Ion Battery Charger for			
		18650 (5 pcs)			
		LORA Communication: Original Diymore White Blue Color 128X64			
		OLED LCD LED Display Module For Arduino 0.96 I2C IIC Serial (16			
- 1		sets)			
		LORA Communication: (5 pieces/kit) Extension Cord UFL to RP SMA Connector Antenna WiFi Pigtail Cable IPX to RP-SMA Jack Male SMA			
		to IPX 1.13 17cm (2 sets)			
		LORA Communication: Blowing 433Mhz GSM GPRS WiFi SMA			
		Male Gain Antenna Wireless Module RF 2 pcs (12 pcs)			
		LORA Communication: OSMAN Antenna 433Mhz 3dbi SMA Plug			
		with Magnetic Base 1.5m Cable for Ham Radio (17 pcs)			
_		Sensors: LM35DZ Temperature Sensor IC (15 pcs)			
		Sensors: 5Pcs/set V-153-1C25 Long Hinge Lever Arm Basic Micro			
\rightarrow		Limit Switch Snap 15A (7 sets)			
_		Sensors: ACS712 30A Current Sensor Module (30 pcs) Sensors: 5pcs/lot Voltage Sensor Voltage Detection Module For			
		Arduino (6 sets)			
		Display and Indicators: 100pcs 3mm LED Lamp Holder Light Bulb			
1		Socket Plastic Chrome Plated for Light-emitting Diode Lighting (2 set)		1	1
_		Display and Indicators: 2004 20x4 2004A blue screen HD44780 for			
\rightarrow		Control Inputs: 6 Pcs/Set 12mm Waterproof Momentary Push Button			
		Buck Converter: 10pcs Mini-360 DC/DC Buck Converter Step Down Module 4.75V-23V to 1V-17V Module (2 set)			
-		Buck Converter: 24V/12V To 5V/SA 25W DC-DC Buck Step Down			
- 1		Power Supply Module Synchronous Rectification Power Converter (15		1	
		pcs)			
		Relay and Switching: 5V/9V/12V/24V 2 Channel Relay Module With			
- 1		Optocoupler High Low Level Triggered 2-way Relay Module for			
-		Arduino (15 pcs)			
		Relay and Switching: 50 Pcs 2N7000 N CHANNEL MOSFET, 60V,			
\rightarrow		200mA, TO-92 (1 set)			
\rightarrow	_	Memory and Logging: Micro SD Card Module (15 pcs) Memory and Logging: Sandisk Ultra Micro SDHC Class 10 UHS-I			
- 1		32GB SDSQUNS-032G (15 pcs)			
		Memory and Logging: DS3231 Real Time Clock RTC Module			
		EEPROM AT24C32 with Free CR2032 Battery (15 pcs)			
		Electronic Components: 10pcs 4 Channel IIC I2C Logic Level			
		Converter Bi-Directional Module 5V to 3.3V (2 sets)			
- 1		Accessories: 12V Car Boat Accessory Socket Panel 4 USB Charger			
\rightarrow		Power Adapter Outlet (15 pcs)			
- 1		Accessories: Exhaust Fan / Blower Fan Pisonet / Pisowifi / Vendo Machine / Computer (15 sets)			1
		Accessories: 120mm Computer PC Dustproof Cooler Fan Case Cover			
		Dust Filter Mesh + 4 screws - intl (15 pcs)			
		Accessories: Black 10pcs 5V Electromagnetic Piezo Buzzer Continous			
1		Sound Alarm (2 sets)			
		Accessories: 105Pcs Blade Car Fuses Assortment Kit Fuse Holders			
		Automotive Replacement for Car Truck SUV RV Boat (4 sets)			
-		VI E Communication			-
-		VLE Components Specifications:			
_		Solar Panel: Monocrystalline, 12V, 100W, 36 cells, Length: 66.8cm			
1		Width: 4cm Height: 148.5cm, Weight: 7.2Kg (2 pcs)		1	
		Charge Controller: Bs St-G1210 12V, 10A, Overloading protection,			
		Short circuit protection, Reverse discharge protection, Overdischarge			
		protection, Over charge protection, withstand voltage: DC1000V (2pcs)			
		Battery: Deep Cycle VRLA Lead Acid 12V, 50Ah, Gel Type, Size: 223			
\rightarrow		x 120 x 175 mm, Weight: 13.4Kilo (2 pcs)			
		LED Bulbs: 4W, 12V, Average Lifetime: 20,000 Hours, Luminosity: 340lm, Lamp Base: E27 (8 pcs)			
_		Radio: Portable Wireless Bluctooth LED Speaker w/Built-in			
		Rechargeable Battery FM Radio/USB/SD Slot with Microphone and			-
		Remote Control, 5V DC input (2 pcs)			
		continue on next page (page 2 of 4)			

	USB Ports: 12V, 4 Ports, 2.1A, 5V Output Voltage, Car Boat Socket	
1	Panel, Size: 10.5 x 4.2 x 5.2cm (2 pcs)	
	VLE Main Controller Components	
	Specifications: Main Controller: Raspberry Pi 3 Model B plus B+ Motherboard (1 pc)	
	1.55 Community 11.5 Wilder D plus D1 Wilder Godd (1 pc)	
	Main Controller Accessories: Justgogo Raspberry Pi 3 Micro USB	
	Charger Power Supply Adapter 5V/2.5A/100-240V/US Plug (1 pc)	
	Main Controller Accessories: Elecrow Raspberry Pi 3 Display 7 Inch	
	Touch Screen HDMI HD LCD TFT 1024X600 Monitor for Raspberry Pi	
_	3 2B B Peduino Win7 8 (1 pc)	
	Main Controller Accessories: Sandisk Ultra Micro SDHC Class 10 UHS-I 32GB SDSQUNS-032G (1 pc)	
	Buck Converter: 24V/12V To 5V/5A 25W DC-DC Buck Step Down	
	Power Supply Module Synchronous Rectification Power Converter (5	
	pcs) LORA Communication: Areyourshop 1x Long Distance Wireless 433	
	Mhz HAT Lora/GPS Expansion Board For Raspberry Pi (2 pcs)	
	GSM Communication: Crazy Deal Small SIM800C GSM GPRS Module Quad-band Development Board for Raspberry Pi (2 pcs)	
	RFID Reader: Card Reader and Writer, NFC ACR122U RFID Smart	
	Reader and Writer Contactless / USB + SDK + IC IC Card White (2	
	Sets)	
	Sensors: LM35 LM35DZ Temperature Sensor IC (1 pcs) Sensors: Electrical Parts 30A Range Current Sensor Module ACS712	
	(1 pc)	
	Relay and Switching: 5V/9V/12V/24V 2 Channel Relay Module With	
	Optocoupler High Low Level Triggered 2-way Relay Module for Arduino - intl (3 pcs)	
	Memory and Logging: DS3231 Real Time Clock RTC Module	
	EEPROM AT24C32 with Free CR2032 Battery (2 pcs)	
	Electronic Components: 10pcs 4 Channel IIC I2C Logic Level Converter Bi-Directional Module 5V to 3.3V (1 set)	
	Accessories: Exhaust Fan / Blower Fan Pisonet / Pisowifi / Vendo	
	Machine / Computer (1 set)	
	Accessories: 120mm Computer PC Dustproof Cooler Fan Case Cover	
	Dust Filter Mesh + 4 screws - intl (1 pc) Accessories: 105Pcs Blade Car Fuses Assortment Kit Fuse Holders	
	Automotive Replacement for Car Truck SUV RV Boat (1 set)	
	TODA OF TAXABLE CONT.	
	Accessories: USB 2.0 to UART TTL 6PIN Connector Module Serial Converter CP2012 (6 pcs)	1 1
	Accessories: Raspberry Pi T-Cobbler GPIO Breakout (2 pcs)	
	Consumables	
	Specifications:	
	Electronic Consumables: Soldering Lead 1mm, approximately 50m (1 pcs)	
	Electronic Consumables: Solder Flux ZJ-18 BGA rework special solder	
	paste FLUX 150g (2 pcs)	
	Electronic Consumables: Solder Paste, Melting Point: 183°C, RL-403(10CC), Product Size: 102mm (L) x 18.5mm (D) x 60 © (2 pcs)	
	Electronic Consumables: Width: 2 mm, Length: 1m Desoldering Braid	
	Solder Remover Sucker Flux Wick Cable (1 set) Electronic Consumables: Hook-up Wire Spool Set 22AWG Stranded 6	
	x 25, 25ft/Spool (2 sets)	
	Electronic Consumables: 20AWG (10m black + 10m red) Gauge	
	Silicone Wire Flexible Stranded Copper Cables for RC, Maximum Current: 88A, Nominal Voltage: 600V, Test Voltage: 2000V, Wire	
	Diameter: 4.5mm (2 sets)	
	Electronic Consumables: 40 Male Pin Headers Header 2.54mm	
	Straight, Type of Row: Single-Row (1 set) Electronic Consumables: 40 Female Pin Headers Header 2.54mm.	
	Type of Row: Single-Row (15 sets)	
	Electronic Consumables: 2.54mm Pitch 2x20 Pin 40 Pin Female	
	Double Row Long Pin Header Strip PC104, Pin material: copper plated, Gold plated thickness: 1U" (6 sets)	
	Flectronic Consumables: 2.54mm PCB Jumper Wire Pin Header	
	Connector Female Male 40Pin Box Packaging Kit Electronic	
	Components Set for Arduino Dupont, Rated Current: 3A, Rated Voltage:	
	250V (4 sets) Electronic Consumables: 2.54mm 2/3/4/5/6Pin Wire Jumper Header	
	Pin Kit Connector Housing 18-26AWG, Rated Voltage: 250V, Rated	
	Current: 3A (4 sets)	
	continue on next page (page 3 of 4)	

m No.	Unit	ITEM AND DESCRIPTION	QTY.		BID PRICE
\rightarrow		The state of the s		UNIT PRICE	TOTAL AMOUNT
		Electronic Consumables: Assorted Crimp Terminals Insulated Connector Set + 1 Crimping Plier, Wire connector: PVC+Copper,			
- 1		Voltage: Voltage: 600V (1 set)			
		Electronic Consumables: M3 Nylon PCB Standoff Spacer Hex Screw			
- 1		Nut Assortment Kit Box Sets, Standoff length: 6 - 12mm, Male end			
		thread length: 6mm, Bolt length: 6mm (1 set)			
		Electronic Consumables: Adhesive Wire Cord Cable Holder Tie Clip			
- 1		Organizer Drop Clamp, Dimension: 13 x 10 x 5mm / 0.5" x 0.4" x 0.2"			
\rightarrow		(L*W*H), For Cable Width (Max.): 8 x 2.5mm (1 set)			
- 1		Electronic Components: 1206 SMD SMT 175 Values x50 1/4W 1% Paginton Assertment Vit Sample Book, Book Sized #WALD, 10 v. 12.5 v.			
-		Resistors Assortment Kit Sample Book, Book Size(L*W*H): 19 x 13.5 x 4 cm, SMD(3.2*1.6 mm): ±1% 1/4W, 8750 x Resistors (1 set)			
		Electronic Components: 1206 SMD SMT Chip Capacitors Assorted Kit 10pF~22uF 38Values x50 Sample Book (1 set)			
		Electronic Components: SMD Rectifier Diode Assorted Kit 20values x		-	
- 1		10pcs Contains M1(1N4001) M4(1N4004) M7(1N4007)			
- 1		SS14(1N5819) SS24 RS1M(FR107) US1M SS34(1N5822) SS36 SS26			
- 1		RS2M SS110 SS220 SS210 SS310 SS510 SS16 ES1J ES1D ES1M (2			
\rightarrow		sets)			
		Electronic Components: Multi-functional Optical Isolators 50pcs			
		Pc817 Optocoupler Sharp Optical Isolator C File Optocoupler Dip-4, Size: 60 x 80mm (1 set)			
_		Electronic Components: 74HC04D 74HC04 SOP14 SOP			
		SN74HC04DR SMD New original (1 set)			
		Electronic Components: 6 Position Auto Marine Rows Wire Connector			
- 1		Bar Block Terminal Barrier Strip, Maximum Rated Voltage: 600V,		1	1
		Maximum Rated Current: 15A (30 sets)			
		Tools			
-		Specifications:			
- 1		Electronic Tools: Electronic Screwdriver Set, NO.6088 43 in 1			
- 1		Professional Multi-functional Handheld repairing Screwdrivers Screw Drivers Repair Tools Kit Set (1 set)			
- 1		Electronic Tools: Digital Multimeter, UNI-T UT139C True RMS			
		Digital Multimeters (1 pc)			
		Electronic Tools: Soldering Set, 20 in 1 60W Electric Soldering Iron			
		Gun Kit Adjustable Temp Welding Tool Set (1 pc)			
		Electronic Tools: Blue Sucking Vacuum Desoldering Pump Solder			
		Sucker Remover Tool (1 pc)			
		Electronic Tools: Toolbox 19", Durable Tool Box (Black with Yellow		1	ļ.
\rightarrow		Top) Medium Size (1 pc) Electronic Tools: Extension Cord 6 Gang, Extension Cord Set with			
		Individual Switch 6 Gang WED360 WED-360 - Genuine and Original			
- 1		(3 pcs)			
		Electronic Tools: Diagonal Wire Cutter, 3.5" Mini Diagonal Pliers Wire			
		Cutter Cutting Electronic Pliers Wires Insulating Rubber Handle Model			
		Pliers with Lock (1 pc)			
		Electronic Tools: Stander / Holder for 7 inch Raspberry Pi Capacitive			
\rightarrow		Touch LCD Screen, Material: Acrylic (1 pc)			
- 1		Electronic Tools: Mini Plier Set (4.5") 10038 Combination,Long Nose and Diagonal Cutting Pliers (1 set)			
		Electronic Tools: Triad Anti-static Tweezers Set Fix Repair Tool Kit for			
		Smartphone Tablets Electronic Components (1 set)			
		Electronic Tools: Portable Mute Keys Keyboards 2.4G Ultra Slim Mini			
- 1		Wireless Keyboard with Touchpad for Mac PC XP7 10 Vista Android			1
		Smart TV Box (1 pc)			
		Electronic Tools: 40WL 40W Heavy Duty Hot Glue Gun (1 pc)			
		Electronic Tools: Electronic Tools: 7mm High Temperature Hot Melt			
		Glue Stick Graft Repair Heat Stick (3 sets)			
- 1		Electronic Tools: Essager LED Micro USB Cable Fast Charging Data			
- 1		Wire Cord 1m 2m Microusb Charger Cable For Samsung Xiaomi LG Android Mobile Phone (3 pcs)			J
_		Electronic Tools: Hand Screw Tap Set M3/M4/M5/M6 Reamer+Twist			
		Drill Bits+Wrench Tool (1 set)			
		nothing follows			
		page 4 of 4			

	Printed Name / Signature
Canvassed By:	Tel. No. / Cellphone No.
Authorized Canvasser	TIN No. of Establishment
Authorized Canvasser	Date