

Republic of the Philippines
University of Southeastern Philippines
 Obrero Campus, Bc. Obrero Davao City
COLLEGE OF ENGINEERING
Request for Quotation

PR # 2019-08-0844
 Date: 22 Aug 19

Company Name : _____
 Address: _____

Please quote your lowest price on the items / listed below, subject to the General Condition on the last page, starting the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith


DR. REYNILLO D. GARCIA
 BAC Chairman

5 42715

- Note :
- All entries must be typewritten.
 - Delivery Period within _____ calendar days upon receipt of Purchase Order.
 - Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
 - Price validity shall be a period of 30 calendar days.
 - G-EPSS Registration Certificate shall be attached upon submission of the Quotation.
 - Bidders shall submit Original Brochures showing certification of the product being offered (optional).
 - Mode of delivery: Pick-up (Schedule) Door to Door Delivery

Item No.	Unit	ITEM AND DESCRIPTION	QTY.	UNIT PRICE	BID PRICE TOTAL AMOUNT
1	lot	Solar Home System (SHS) Components & Electronic Supplies	1		
		<i>Solar Home System (SHS) Main Components</i>			
		<i>Specifications</i>			
		<i>Solar Panel: Monocrystalline, 12V, 100W, 36 cells, Length: 66.8cm Width: 4cm Height: 148.5cm, Weight: 7.2Kg (1 pc)</i>			
		<i>Charge Controller: Bc S-G1210 12V, 10A, Overloading protection, Short circuit protection, Reverse discharge protection, Overcharge protection, Over charge protection, withstand voltage: DC1000V (1 pc)</i>			
		<i>Battery: Deep Cycle VRLA Lead Acid 12V, 50Ah, Gel Type, Size: 225 x 120 x 175 mm, Weight: 13.4 Kilo (1 pc)</i>			
		<i>LED Bulbs: 4W, 12V, Average Lifetime: 20,000 Hours, Luminosity: 340lm, Lamp Base: E27 (4 pcs)</i>			
		<i>Radio: Portable Wireless Bluetooth LED Speaker w/Built-in Rechargeable Battery FM Radio/USB/SD Slot with Microphone and Remote Control, 5V DC input (1 pc)</i>			
		<i>USB Ports: 12V, 4 Ports, 2.1A, 5V Output Voltage, Car Post Socket Panel, Size: 10.5 x 4.2 x 5.2cm (1 pc)</i>			
		SHS Electronic Main Components			
		<i>Specifications:</i>			
		<i>Microcontroller: ATmega2560, Mega 2560 R3 Motherboard with USB Cable, 16 MHz clock speed, Operating Voltage: 5V, Input Voltage (recommended): 7-9V Input Voltage (limit): 6-9V, Analog Input Pins: 16, Length: 101.52 mm, Width: 53.3 mm, Weight: 37 g (4 sets)</i>			
		<i>Current Sensor: ACS712 Hall Effect, 30A, The current sensor chips ACS712ELC-30A, Pin 5V power supply, on-board power indicator, PCB board size: 31 (mm) x13 (mm) (6 pcs)</i>			
		<i>Voltage Sensor: Voltage Detection Module For Arduino, Voltage input range: DC0-25V</i>			
		<i>Voltage detection range: DC0.02445V-25V (2 pcs)</i>			
		<i>Temperature Sensor: LM35 LM35DZ Temperature Sensor IC, Operates from 4 to 30 volts, Calibrated directly in o Celsius (Configurable), 0.5uC accuracy guaranteeable (at +25oC) (3 pcs)</i>			

continue on next page (page 1 of 10)

After having carefully read and accepted your General Condition, I / We quote you on the item at prices noted above.

Canvassed By: _____

Authorized Canvasser

Printed Name / Signature

Tel. No. / Cellphone No.

TIN No. of Establishment

Date

Republic of the Philippines
University of Southeastern Philippines
 Obrero Campus, Bo. Obrero Davao City
COLLEGE OF ENGINEERING
Request for Quotation

PR # 2019-08-0844
 Date: 22 Aug 19

Company Name: _____
 Address: _____

Please quote your lowest price on the items / listed below, subject to the General Condition on the last page, stating the shortest time of delivery and submit your quotation only signed by your representative not later than _____ in the return envelope attached herewith


DR. REYNILLO D. GARCIA
 BAC Chairman
 8/22/19

- Note :
- All entries must be typewritten.
 - Delivery Period within _____ calendar days upon receipt of Purchase Order.
 - Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
 - Price validity shall be a period of 30 calendar days.
 - G-EPIS Registration Certificate shall be attached upon submission of the Quotation.
 - Bidders shall submit Original Brochures showing certification of the product being offered (optional).
 - Mode of delivery: [] Pick-up [Schedule] [x] Door to Door Delivery

Item No.	Unit	ITEM AND DESCRIPTION	QTY.	BID PRICE	
				UNIT PRICE	TOTAL AMOUNT
		Voltage Sensor : Voltage Detection Module For Arduino, Voltage input range: DC0-25V			
		Voltage detection range: DC0.02445V-25V (2 pcs)			
		Temperature Sensor : LM35 LM35SDZ Temperature Sensor IC, Operates from 4 to 10 volts, Calibrated directly in ° Celsius (Centigrade), 0.5°C accuracy guaranteeable (at +25°C) (3 pcs)			
		DC Load Switch : 2 Channel Relay Module With Optocoupler High Low Level, 5V, Module size: 50mm * 41mm * 18.5mm (1 pc)			
		Door Cabinet Sensor : Long Hinge Lower Arm Basic Micro Limit Switch Snap, V-153-1C25 Size: Approx. 28x9x16mm (1 set)			
		LED : 3mm LED Light, 500pcs White Yellow Red Blue Green Assortment Diodes DIY Kit, Current: 20mA, Voltage: 3V (1 set)			
		Socket: 100pcs 3mm LED Lamp Holder Light Bulb Socket Plastic Chrome Plated for Light-emitting Diode Lighting, Thread Diameter: 5mm / 0.2-inch, Size: 13 x 8mm / 0.51-inch x 0.31-inch (HPD), Material: Brass, Chrome Plated (1 set)			
		Buzzer: Piezo Buzzer, 5V Electromagnetic Piezo Buzzer Continuous Sounded Alarm Rated Voltage: 5V, Operating Voltage: 4-8V, Rated Current(MAX): 30 mA, Min Sound Output at 10cm: 85 dB, Size: 9mm(high) x 11.8mm(diameter) / 0.35" x 0.46" (1 set)			
		Display : 2004 20x4 2004A blue screen HD44780 for arduino Character LCD Iv I2C/I2C Serial Interface Adapter Module (3 pcs)			
		Control Inputs : RF/SMS/LORA/Relay, 12mm Waterproof Momentary Push Button Switches, Panel hole diameter: 11.25mm, Overall dimensions: 21 x 18mm (H x D), Rated Voltage: 1A 250VAC (2 sets)			
		Memory Module : Micro SD Card Module, Power Supply: 4.5V - 5.5V, SPI interface, Module Size: 4.1 x 2.4cm (1pc)			
		Memory : Micro SD Card SDHC Class 10, UHS-I, Memory Capacity: 32GB, Transfer Rate: 48MB/s, Compatible with Smartphones and Cameras, OS Compatibility: Windows 2000 or later, Mac OS 10.4 or later			
		Memory Time Log : RTC Real Time Clock and EEPROM DS3231 AT24C32 Module with Froo CR2032 Battery, Size: 38mm (length) x 22mm (W) x 14mm (height), Weight: 8g, Operating voltage: 3.3 - 5.5 V (3 pcs)			

continue on next page (page 2 of 10)

After having carefully read and accepted your General Condition, I / We quote you on the item at prices noted above.

Conveyed By: _____
 Authorized Conveyer

Printed Name / Signature
 Tel. No. / Cellphone No.
 TTN No. of Establishment
 Date

Republic of the Philippines
University of Southeastern Philippines
 Obrero Campus, Bo. Obrero Devao City
COLLEGE OF ENGINEERING
Request for Quotation

PR # 2019-08-0844
 Date: 22 Aug. 19

Company Name: _____
 Address: _____

Please quote your lowest price on the items / listed below, subject to the General Condition on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith


DR. REYNILLO D. GARCIA
 BAC Chairperson
 8/22/19

- Note :**
1. All entries must be typewritten.
 2. Delivery Period within _____ calendar days upon receipt of Purchase Order.
 3. Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
 4. Price validity shall be a period of 30 calendar days.
 5. G-EPS Registration Certificate shall be attached upon submission of the Quotation.
 6. Bidders shall submit Original Brochures showing certification of the product being offered (optional).
 7. Mode of delivery: [] Pick-up (Schedule) [x] Door to Door Delivery

Item No.	Unit	ITEM AND DESCRIPTION	QTY.	UNIT PRICE	BID PRICE TOTAL AMOUNT
		Block Converter: Mini-360 DC/DC Buck Converter Step Down Module Input Voltage: 4.75V-23V, Output Voltage: 1V-17V Module, Output Current: Lowering the value of 3A, long trace 1.8A, Conversion Efficiency: 96% (Maximum), Switching Frequency: 340KHz, External Dimensions (L*W*H): 17x 11x 3.6mm (1 set)			
		Buck Converter: 24V/12V To 5V/5A, 25W DC-DC Buck Step Down Power Supply Module Synchronous Rectification Power Converter, Input voltage: 9-35V, Output Voltage: 5V, Output Current: 5A, Output Power: 25w, Dimensions:45 x 31x 16mm(length*width*height) (3 pcs)			
		Electronic Components: ZEC Logic Level Converter Bi-Directional Module 5V to 1.3V, Board size(L*W): 1.55 x 1.20cm (1 set)			
		Relay and Switching: 2IN7000 Transistors Polarity: N CHANNEL, MOSFET, 60V, Continuous Drain Current Id: 200mA, TO-92, Threshold Voltage Vgs Typ: 2.1V (1 set)			
		Accessories: 12V, 4 Ports, 2.1A, 5V Output Voltage, Car Boat Socket Panel, Size: 10.5 x 4.2 x 5.2cm (3 pcs)			
		Accessories: Reversible Exhaust Fan / Blower Fan, Voltage Input: 12VDC, Ampere: 0.3A, Dimension: 120mm x 120mm (1 set)			
		Accessories: Blade Car Fuses Assortment Kit: Fuse Holders Automotive Replacement for Car Truck SUV RV Boat, Fuses assortment kit includes 2A, 3A, 5A, 7.5A, 10A, 15A, 20A, 25A, 30A, 35A fuse, 5pcs fuse holders. (1 set)			
		Accessories: 120mm Computer PC Dustproof Cooler Fan Case Cover Dust Filter Mesh + 4 screws (3 pcs)			
		Communication			
		Specifications:			
		RFID: PN532 NFC RFID Module V3 Kits Reader Writer For Android Phone TE-14, 3cm-7cm reading distance (1 set)			
		RFID: RCS22 RFID Reader Module 13.56MHz, MFRC522 chip based board, Operating frequency: 13.56MHz, Supply Voltage: 3.3V, Current: 13-26mA, Read Range: Approx. 3cm with supplied card and 5cm, Max Data Transfer Rate: 10Mbit/s, Dimension: 60mm x 39mm (1 pc)			
		RFID: NFC Smart Card Tag S50 IC 13.56MHz RFID Readable Writable School Office Bus, Material: PVC, Reading distance is 0-10cm (Reading distance depends on readers, not the cards), Size: Approx. 8.5 x 5.4 x 0.1cm/ 3 x 2 x 0.04 (1 set)			
		continues on next page (page 3 of 10)			

After having carefully read and accepted your General Condition, I / We quote you on the item at prices noted above.

Convoysed By: _____
 Authorized Convoyser

Printed Name / Signature
 Tel. No. / Cellphone No.
 TIN No. of Establishment
 Date

Republic of the Philippines
University of Southeastern Philippines
 Obispo Campus, Bo. Obispo Davao City
COLLEGE OF ENGINEERING
Request for Quotation

PR # 2019-08-0844
 Date: 22 April 19

Company Name: _____
 Address: _____

Please quote your lowest price on the items / listed below, subject to the General Condition on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith


DR. REYNILO D. GARCIA
 BAC Chairman

- Note:
1. All entries must be typewritten.
 2. Delivery Period within _____ calendar days upon receipt of Purchase Order.
 3. Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
 4. Price validity shall be a period of 30 calendar days.
 5. G-RPS Registration Certificate shall be attached upon submission of the Quotation.
 6. Bidders shall submit Original Brochures showing certification of the product being offered (optional).
 7. Mode of delivery: [] Pick-up (Schedule) [x] Door to Door Delivery

Item No.	Unit	ITEM AND DESCRIPTION	QTY.	BID PRICE	
				UNIT PRICE	TOTAL AMOUNT
		<i>Rfid</i> : Compact Rfid Reader/Writer And Nfc Module, MifareS2X(13.56Mhz) Power 5V/3.3V, size:4 x 10 x 0.5CM (1 pc)			
		<i>GSM</i> : SIM800L V2 5V Wireless GSM GPRS Module, Supports Quad-band 850/900/1800/1900 MHz, which can transmit voice calls, SMS messages and low power data, Size: 15.8 x 17.8 x 2.4 mm.			
		<i>GSM</i> : GSM Antenna with Magnetic Base 3M, Signal gain: 2.5dBi, Frequency Range: 900 - 1800 MHz, Interface type: SMA, Cable length: 3 m(118.11"), Height: 6 cm(2.36") (3 pcs)			
		<i>LORA</i> : SX1278 LoRa Module 433M 10KM Ra-02 As-Tracker Wireless Spread Spectrum Transmission Socket for Smart Home DIY (1 set)			
		<i>LORA</i> : Extension Card UFL to RP SMA Connector Antenna WiFi Pigtail Cable IPX to RP-SMA Jack Male SMA to IPX 1.13 17cm (2 sets)			
		<i>LORA</i> : 433Mhz GSM GPRS WiFi SMA Male Gain Antenna Wireless Module, Antenna length: 5cm, Gain: 2.5dBi, Maximum power: 50W (6 pcs)			
		<i>LORA</i> : TTGO LORA SX1278 ESP32 0.96 OLED 16 M6 bytes (128 M6 bit) 433Mhz For Arduino			
		<i>LORA</i> : T-Beam ESP32 433Mhz WiFi wireless Bluetooth Module ESP 32 GPS NEO-6M SMA LORA 32 18650 Battery holder (2 sets)			
		<i>LORA</i> : 4.2V 18650 Li-Ion 6800mAh Rechargeable Battery Set of 6 with Universal Single Slot Li-Ion Battery Charger for 18650, Ultrafire Rechargeable 3.7V Battery, The input voltage is 110-220 volts and the maximal output voltage is 4.2 volts (2 pcs)			
		<i>LORA</i> : White Blue Color 128X64 OLED LCD LED Display Module For Arduino 0.96 I2C IIC Serial, The VCC power supply is (3 ~ 5.5 V), GND/OLED power supply) PCC (OLED 3.3~5V) (2 pcs)			
		<i>LORA</i> : 433Mhz 3dBi SMA Plug with Magnetic Base 1.5m Cable, Bandwidth: 30MHz, Max input power: 50W, Cable Type RG174, Connector Type SMA Male connector (Debut)SMD/SMD/RNC/RNC/TNC/MCX /MMCX or other (1 pc)			
continues on next page (page 4 of 10)					

After having carefully read and accepted your General Condition, I / We quote you on the item at prices noted above.

Carvised By: _____
 Authorized Carvisser

Printed Name / Signature
 Tel. No. / Cellphone No.
 TIN No. of Establishment
 Date

Republic of the Philippines
University of Southeastern Philippines
 Obrera Campus, Bo. Obrera Davao City
COLLEGE OF ENGINEERING
Request for Quotation

PR # 2019-08-0844
 Date: 22 Aug 19

Company Name: _____
 Address: _____

Please quote your lowest price on the items / listed below, subject to the General Condition on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith


DR. REYNILO D. GARCIA
 RAC Chairman 6812719

- Note:**
1. All entries must be typewritten.
 2. Delivery Period within _____ calendar days upon receipt of Purchase Order.
 3. Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
 4. Price validity shall be a period of 30 calendar days.
 5. G-RPS Registration Certificate shall be attached upon submission of the Quotation.
 6. Bidders shall submit Original Brochures showing certification of the product being offered (optional).
 7. Mode of delivery: [] Pick-up (Schedule) [x] Door to Door Delivery

Item No.	Unit	ITEM AND DESCRIPTION	QTY.	UNIT PRICE	TOTAL AMOUNT
		Server			
		Specifications:			
		GSW Gateway : 8-Port GSM Modem, Dual-band GSM: 850/900/1800/1900 MHz Frequency, Power Supply: 5-24V DC, Input voltage: 100 to 240V, Product Size: L: 44cm x W 30cm x H 23.2cm, Net Weight: 3.65kg, Gross Weight: 8kg (1 pc)			
		Electronics Consumables			
		Specifications:			
		Soldering Lead 1mm, approximately 50m (1 pc)			
		Solder Flux ZL-18 BGA rework special solder paste FLUX 150g (2 pcs)			
		Solder Paste, Melting Point: 183°C, RL-403(100C), Product Size: 102mm (L.) x 18.5mm (D) x 60 Ø (2 pcs)			
		Wick: 2 mm, Length: 1m Desoldering Iron Solder Remover Sucker Flux Wick			
		Hook-up Wire Spool Set 22AWG Stranded 6 x 25, 25ft/Spool (2 sets)			
		20AWG (10m black + 10m red) Gauge Silicone Wire Flexible Stranded Copper Cables for RC, Maximum Current: 88A, Nominal Voltage: 600V, Test Voltage: 2000V, Wire Diameter: 4.5mm (2 sets)			
		40 Male Pin Headers Header 2.54mm Straight, Type of Row: Single-Row (4 sets)			
		40 Female Pin Headers Header 2.54mm, Type of Row: Single-Row (4 sets)			
		2.54mm Pitch 2x20 Pin 40 Pin Female Double Row Long Pin Header Strip PC104, Pin material: copper plated, Gold plated thickness: 1U" (2 sets)			
		2.54mm PCB Jumper Wire Pin Header Connector Female Male 40Pin Box Packaging Kit Electronic Components Set for Arduino Depoat, Rated Current: 3A, Rated Voltage: 250V (4 sets)			
		2.54mm 234/26Pin Wire Jumper Header Pin Kit Connector Housing 18-26AWG, Rated Voltage: 250V, Rated Current: 3A (1 set)			
		2-1 Heat Shrink Tube Tubing Shrink Wrap Wire Assorted Kit, Material: Polyolefin, Tensile strength: 10.4 Mpa (1 set)			
		Assorted Crimp Terminals Insulated Connector Set + 1 Crimping Plier, Wire Connector, PVC-Copper, Voltage: 600V (1 set)			
		M3 Nylon PCB Standoff Spacer Hex Screw Nut Assortment Kit Box Sets, Standoff length: 6 - 12mm, Male and thread length: 6mm, Bolt length: 6mm (1 set)			
		continue on next page (page 5 of 10)			

After having carefully read and accepted your General Condition, I / We quote you on the item at prices noted above.

Canvassed By: _____
 Authorized Canvasser

Printed Name / Signature
 Tel. No. / Cellphone No.
 TIN No. of Establishment
 Date

PR # 2019-08-0844
 Date: 22 Aug 19

Company Name: _____
 Address: _____

Please quote your lowest price on the items / listed below, subject to the General Condition on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith


DR. REYNILLO D. GARCIA
 BAC Chairman
 8/22/19

- Notes:**
- All entries must be typewritten.
 - Delivery Period within _____ calendar days upon receipt of Purchase Order.
 - Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
 - Price validity shall be a period of 30 calendar days.
 - 6-EPS Registration Certificate shall be attached upon submission of the Quotation.
 - Bidders shall submit Original Branches showing certification of the product being offered (optional).
 - Mode of delivery: Pick-up (Schedule) Door to Door Delivery

Item No.	Unit	ITEM AND DESCRIPTION	QTY.	UNIT PRICE	BID PRICE TOTAL AMOUNT
		Adding Wire Cord Cable Holder The Clip Organizer Drop Clamp, Dimension : 13 x 10 x 5mm / 0.5" x 0.4" x 0.2" (L*W*H), For Cable Width (Max.) : 8 x 2.5mm (1 set)			
		Male Female Spade Connector Wire Crimp Terminal Block with Insulating Sleeve Assortment Kit 2.8mm 4.8mm 6.3mm (1 set)			
		1206 SMD SMT 175 Values ±50 1/4W 1% Resistors Assortment Kit Sample Book, Book Size(L*W*H): 19 x 13.5 x 4 cm, SMD(3.2*1.6 mm) ±1% 1/4W, 8750 x Resistors (1 set)			
		1206 SMD SMT Chip Capacitors Assorted Kit 10pF--22nF 38Values ±50 Sample Book (1 set)			
		SMD Rectifier Diode Assorted Kit 20-values x 10pcs Contains MI(1N4001) M4(1N4004) M7(1N4007) SS14(1N5819) SS24 ES1M(FR107) US1M SS34(1N5822) SS36 SS26 RS2M SS110 SS220 SS210 SS310 SS16 ES1J ES1D ES1M (1 set)			
		Multi-functional Optical Isolators 50pcs Po817 Optocoupler Sharp Optical Isolator C File Optocoupler Dip-4, Size: 60 x 80mm (1 set)			
		74HC04D 74HC04 SOP SN74HC04DR SMD New original (1 set)			
		6 Position Auto Marine Rows Wire Connector Bar Block Terminal Barrier Strip Maximum Rated Voltage: 600V, Maximum Rated Current: 15A (6 sets)			
		Electronics Tools Specifications:			
		Breadboard, Whole, Universal Solderless Breadboard 3220 The Point PCB Test Circuit For Arduino, 4 Terminal Strip, The point 2520, 7 Distribution strips, Temperature 700. Metal base/plate : Iron, black paint coating, Accepts a variety of wire sizes (29-20 AWG) (2 pcs)			
		Electronic Screwdriver Set, NO.6088 43 in 1 Professional Multi-functional Handheld repairing Screwdrivers Screw Driven Repair Tools Kit Set (1 set)			
		Digital Multimeter, UNI-T UT139C True RMS Digital Multimeters (1 pc)			
		Thermostat Soldering Iron 220V 700W 8586 Rework ESD Soldering Station Hot Air Desoldering Handle Welding Tool Kit, Dimension : 4" x 5.2" x 6"(10 x 13.2 x 1.5cm) (1 pc)			
		Welding Tool Set (1 set)			
		(Wire Sucking Vacuum Desoldering Pump Solder Sucker Resolder Tool (1 pc)			
		continues on next page (page 6 of 10)			

After having carefully read and accepted your General Condition, I / We quote you on the item at prices noted above.

Carrossed By: _____

Printed Name / Signature

Tel. No. / Cellphone No.

Authorized Carrosser

TIM No. of Establishment

Date

Republic of the Philippines
University of Southeastern Philippines
 Obrera Campus, Bn. Obrera Davao City
COLLEGE OF ENGINEERING
Request for Quotation

PR # 2019-08-0844
 Date: 22 July 19

Company Name : _____
 Address: _____

Please quote your lowest price on the items / listed below, subject to the General Condition on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith


DR. REYNILLO D. GARCIA
 BAC Chairman
 X 8/27/19

- Note :**
- All entries must be typewritten.
 - Delivery Period within _____ calendar days upon receipt of Purchase Order.
 - Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
 - Price validity shall be a period of 30 calendar days.
 - G-EPSS Registration Certificate shall be attached upon submission of the Quotation.
 - Bidders shall submit Original Brochures showing certification of the product being offered (optional).
 - Mode of delivery: [] Pick-up (Schedule) [x] Door to Door Delivery

Item No.	Unit	ITEM AND DESCRIPTION	QTY.	BID PRICE	
				UNIT PRICE	TOTAL AMOUNT
		LW-K3010D 110V/220V 30V 10A Adjustable DC Power Supply LED 4 Digits Display Switching Regulated Power Supply Laptop Repair Work 220V, Input Voltage: AC 110/220V±10% 50-60Hz, Input Current: 0.6A 110V/220V (switchable), Output Voltage Range: 0-30V, Output Current Range: 0-10A (1 pc)			
		Toolbox 19", Durable Tool Box (Black with Yellow Top) Medium Size (1 pc)			
		Extension Cord 6 Gang, Extension Cord Set with Individual Switch 6 Gang WED360 WED-360 - Genuine and Original (2 pcs)			
		PCB Ruler EDA Measuring Tool High Precision Protractor 30CM 11.8 Inches (1 pc)			
		Wire Stripper and Crimping Tool 10-22 AWG, Wire Crimpers Ratcheting Terminal Crimping Pliers Stripper Tool (1 pc)			
		Diagonal Wire Cutter, 3.5" Mini Diagonal Pliers Wire Cutter Cutting Electronic Pliers Wires Insulating Rubber Handle Model Pliers with Lock (1 pc)			
		Sense 8 Plus fast charging 30000 mAh QC3.0 Type-C Powerbank (White), 30000 mAh Polymer Battery Input: Type-C/5V 2A/5V2A, Micro USB-5V2A/5V2A, Lightning-5V2.1A Output: Type-C/5V3A/9V2A/12V1.5A; USB-A1-5V3A/9V2A/12V1.5A, USB-A2-5V/2.1A, Multiple Charging Port: Lightning, USB Type-C, Micro USB, Charge with Quick Charge 3.0 (2 pcs)			
		Sticker / Holder for 7 inch Raspberry Pi Capacitive Touch LCD Screen, Material: Acrylic (2 pcs)			
		Mini Plier Set (4.5") 10038 Combination, Long Nose and Diagonal Cutting Pliers (1 set)			
		Tried Anti-static Tweezer Set Fix Repair Tool Kit for Smartphones Tablets Electronic Components (1 set)			
		AU11068 Digital Microscope 4.3 Inch 1080P HD Sensor USB Continuous Magnifier (1 pc)			
		Portable Music Keys Keyboards 2.4G Ultra Slim Mini Wireless Keyboard with Touchpad for Mac PC XP7 10 Vain Android Smart TV Box (1 pc)			
continues on next page (page 7 of 10)					

After having carefully read and accepted your General Condition, I / We quote you on the item at prices noted above.

Canvassed By: _____

Authorized Canvasser

Printed Name / Signature

Tel. No. / Cellphone No.

TWN No. of Establishment

Date

Republic of the Philippines
University of Southeastern Philippines
 Obrero Campus, Bo. Obrero Davao City
COLLEGE OF ENGINEERING
Request for Quotation

PR # 2019-08-0844
 Date: 22 Aug 19

Company Name: _____
 Address: _____

Please quote your lowest price on the items / listed below, subject to the General Condition on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith


DR. REYNILLO D. GARCIA
 BAC Chairman

- Note :
- All entries must be typewritten.
 - Delivery Period within _____ calendar days upon receipt of Purchase Order.
 - Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
 - Price validity shall be a period of 30 calendar days.
 - G-BPS Registration Certificate shall be attached upon submission of the Quotation.
 - Bidders shall submit Original Proctures showing certification of the product being offered (optional).
 - Mode of delivery: Pick up (Schedule) Door to Door Delivery

Item No.	Unit	ITEM AND DESCRIPTION	QTY.	UNIT PRICE	RUD PRICE	TOTAL AMOUNT
		40W/ 40W Heavy Duty Hot Glue Gun (1 pc)				
		7mm High Temperature Hot Melt Glue Stick Craft Repair Heat Stick (2 sets)				
		Hand Screw Tap Set M3/M4/M5/M6 Rosner+Twist Drill Bits+Wrench Tool (1set)				
		VLE Main Components				
		Specifications:				
		Solar Panel: Monocrystalline, 12V, 100W, 36 cells, Length: 66.8cm Width: 4cm Height: 148.5cm, Weight: 7.2Kg (1 pc)				
		Charge Controller: Bc St-GH210 12V, 10A, Overloading protection, Short circuit protection, Reverse discharge protection, Overcharge protection, Over charge protective, withstand voltage: DC1000V (1 pc)				
		Battery: Deep Cycle VRLA Lead Acid 12V, 50Ah, Gel Type, Size: 223 x 120 x 175 mm, Weight: 13.4Kilo				
		LED Bulbs: 4W, 12V, Average Lifespan: 20,000 Hours, Luminosity: 340lm, Lamp Base: E27 (4 pcs)				
		Radio: Portable Wireless Bluetooth LED Speaker w/Built-in Rechargeable Battery FM Radio/USB/SD Slot with Microphone and Remote Control, 5V DC input (1 pc)				
		USB Ports: 12V, 4 Ports, 2.1A, 5V Output Voltage, Car Boat Socket Panel, Size: 10.5 x 4.2 x 5.2cm (1 pc)				
		VLE Electronic Main Components				
		Specifications:				
		Main Controller: Processor: Broadcom BCM2837 Processor Quad core A53 (ARM v8) 64-bit SoC, Memory:1GB LPDDR2 SDRAM, Bluetooth: Cypress BLE chip 2.4Ghz/5.0Ghz IEEE 802.11ac, Ethernet: Gigabit Ethernet over USB 2.0 (300Mbps max), USB:Four USB 2.0 ports, Connection: GPIO Header 40-pin HDMI:1 x full-size, Video:MIPi DSI display port, MIPI CSI camera port & 4 Pole stereo output and composite video port, Multimedia: H.264, MPEG-4 decode (1080p/30), H.264 encode (1080p/30), OpenGL ES 1.1, 2.0 graphics, Storage:microSD card slot for loading operating system and data storage, Power:USB connector for 5.1V/2.5A dc, POE enabled (3 pos)				
		Current Sensor: ACS712 Hall Effect, 30A, The current sensor chips: ACS712ELC-30A, Pin 5V power supply, on-board power indicator, PCB board size: 31 (mm) x 1 (mm) (3 pos)				
		continue on next page (page 8 of 10)				

After having carefully read and accepted your General Condition, I / We quote you on the item at prices noted above.

Convoiced By: _____

Printed Name / Signature

Tel. No. / Cellphone No.

Authorized Convasser

TIN No. of Establishment

Date

Republic of the Philippines
University of Southeastern Philippines
 Obispo Campus, Bo. Obispo Davao City
COLLEGE OF ENGINEERING
Request for Quotation

PR # 2019-08-0644
 Date: 22 Aug 19

Company Name: _____
 Address: _____

Please quote your lowest prices on the items / listed below, subject to the General Condition on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith

[Signature]
DR. REYNILLO P. GARCIA
 BAC Chairman
8/21/19

- Note:**
- All entries must be typewritten.
 - Delivery Period within _____ calendar days upon receipt of Purchase Order.
 - Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
 - Price validity shall be a period of 30 calendar days.
 - G-IPS Registration Certificate shall be attached upon submission of the Quotation.
 - Bidders shall submit Original Brochures showing certification of the product being offered (optional).
 - Mode of delivery: [] Pick-up (Schedule) [x] Door to Door Delivery

Item No.	Unit	ITEM AND DESCRIPTION	QTY.	UNIT PRICE	BID PRICE TOTAL AMOUNT
		Voltage Sensor: Voltage Detection Module For Arduino, Voltage input range: DC0-25V			
		Voltage detection range: DC0.02445V-25V (1 set)			
		Temperature Sensor: LM35SDZ: Temperature Sensor IC, Operates from 4 to 30 volts, Calibrated directly in o Celsius (Configurable), 0.5oC accuracy guaranteed (at +25oC) (3 pcs)			
		Main Controller Accessories: Micro USB Charger Power Supply Adapter SV2.5A/100-240V/US Plug (1 pcs)			
		Main Controller Accessories: Elecrow Raspberry Pi 3 Display 7 Inch Touch Screen HDMI HD LCD TFT 1024X600 Monitor for Raspberry Pi 3 2B B PoBino Win7.8, Dimension:164.9 x 124.27(mm) (3 pcs)			
		Main Controller Accessories: Memory: Micro SD Card SDHC Class 10, UHS-I, Memory Capacity: 32GB, Transfer Rate: 48MB/s, Compatible with Smartphones and Cameras, OS Compatibility: Windows 2000 or later, Mac OS 10.4 or later (4 pcs)			
		Memory Time Log: RTC Real Time Clock and EEPROM DS3231 AT24C32 Module with Froo CR2032 Battery, Size: 38mm (length) x 22mm (W) x 14mm (height), Weight: 8g, Operating voltage: 3.3 - 5 V (2 pcs)			
		Back Converter: 24V/12V To 5V/5A 25W DC-DC Buck Step Down Power Supply Module Synchronous Rectification Power Converter, Input voltage: 9-35V, Output Voltage: 5V, Output Current: 5A, Output Power: 25w, Dimension:45 x 31x 16mm (length*width*height)			
		Electronic Components: L2C Logic Level Converter Bi-Directional Module 5V to 3.3V, Board size(L*W): 1.55 x 1.20cm (1 set)			
		Relay and Switching: 5V/9V/12V/24V 2 Channel Relay Module With Optocoupler High Low Level Triggered 2-way Relay Module for Arduino (2pcs)			
		Accessories: Exhaust Fan / Blower Fan, Reversible: Blower or Exhaust, Dimension: 120mm x 120mm, Voltage Input: 12VDC, Ampere: 0.3A (3 sets)			
		Accessories: 120mm Computer PC Desktop Cooler Fan Case Cover Dust Filter Mesh + 4 screws (3 pcs)			
		Accessories: Blade Car Fuses Assortment Kit Fuse Holders Automotive Replacement for Car Truck SUV RV Boat, Fuses assortment kit includes 2A, 3A, 5A, 7.5A, 10A, 15A, 20A, 25A, 30A, 35A fuses, 5pcs fuse holders. (1 set)			
		Accessories: USB 2.0 to UART TTL 6PIN Connector Module Serial Converter CP2012 (2pcs)			
		Accessories: Raspberry Pi T-Cobbler GPIO Breakout (2 pcs) contains on next page (page 9 of 10)			

After having carefully read and accepted your General Condition, I / We quote you on the item at prices noted above.

Carrossed By: _____

Printed Name / Signature

Tel. No. / Cellphone No.

TIN No. of Establishment

Authorized Carrosser

Date

PR # 2019-08-0844
 Date: 22 Aug. 19

Company Name : _____
 Address: _____

Please quote your lowest price on the items / listed below, subject to the General Condition on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith


DR. REYNILO D. GARLITA
 BAC Chairman
 6/21/19

- Note :**
- All entries must be typewritten.
 - Delivery Period within _____ calendar days upon receipt of Purchase Order.
 - Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
 - Price validity shall be a period of 30 calendar days.
 - G-EPS Registration Certificate shall be attached upon submission of the Quotation.
 - Bidders shall submit Original Brochures showing certification of the product being offered (optional).
 - Mode of delivery: [] Pick-up (Schedule) [x] Door to Door Delivery

Item No.	Unit	ITEM AND DESCRIPTION	QTY.	UNIT PRICE	TOTAL AMOUNT
		Communication Specifications:			
		Rfid: ACR122U Rfid Contactless smart Reader & Writer(USB + SDK + Mifare IC Card, Operating Distance<= 30mm (depends on tag type), Supply Voltage:Regulated 5V DC, Supply Current:200mA (operating), 50mA (standby); 100mA (normal), Size: 98 x 65 x 11mm/3.86"x2.56"x0.43" (1 set)			
		GSM : Small SIM800C GSM GPRS Module Quad-band Development Board for Raspberry Pi, Power supply: 5V-20V, Size: 66*45.5*19.5mm (2 pcs)			
		LoRa : RAK7243 PiHat Gateway Pro 4G LoRa Gateway RAK831 upgrade for PoC Raspberry Pi 3B+; RAK2245 Pi HAT,RAK2013 Cellular Pi HAT, 433MHz (ELB3) (1 set)			
		LoRa : Long Distance Wireless 433 Mhz HAT LoRaGPS Expansion Board For Raspberry Pi, Support DGPS, SBAS(WAAS/EGNOS/MRAS/GAGAN) (1 pc)			
		nothing follows			
		page 10 of 10			

After having carefully read and accepted your General Condition, I / We quote you on the item at prices noted above.

Canvassed By: _____
 Printed Name / Signature
 Tel. No. / Cellphone No.
 TIN No. of Establishment
 Date

Authorized Canvasser